

INDEX MAPS.

T.7N R.4W 2nd Mer.

	428	428	428	427	427	427	
430	6	449 5	446 4	441 3	438 2	434 1	426
	450	449	445	440	437	434	
430	7	448 8	444 9	440 10	437 11	433 12	426
	450	448	444	440	437	433	
430	18	448 17	444 16	440 15	437 14	433 13	426
	450	447	443	439	436	432	
429	19	447 20	443 21	439 22	436 23	432 24	425
	451	446	442	439	435	432	
429	30	446 29	442 28	438 27	435 26	431 25	425
	451	445	442	438	435	431	
429	31	445 32	441 33	438 34	435 35	431 36	425
	424	424	424	423	423	423	

T.8N R.4W 2nd Mer.

	458	458	458	457	457	457	
460	6	5	4	468 3	471 2	471 1	456
				469	470	470	
460	7	8	9	468 10	469 11	470 12	456
				467	468	466	
460	18	17	5.16	467 15	467 14	466 13	456
				464	465	465	
459	19	20	21	464 22	464 23	465 24	455
				463	462	473	
459	30	29	28	463 27	461 26	472 25	455
		474	474	462	472	461	
459	31	474 32	473 33	462 34	471 35	461 36	455
	454	454	453	453	453	453	

The figures on the lines refer to the page.

Township No 8 North of Range No 4 West of the 2nd Mer. Sec
ch. 1st 1st

South Boundary

A. 44

West On the South Boundary of Sec. 36. T. 8. N. R. 4 W.
40.00 Set a 1/4 sec post from which a
Sugar. 16 in. diam. trans. S 60 W. 5 miles dist; 1 a,
Buck. 16 " " " N 85 E. 28 " "
50.00 To a Brook 3 miles wide, Corner N.
80.00 Set a post for the cor. of Sec. 35 & 36. from which a
Buck. 24 in. diam. trans. S 52 W. 13 miles dist; 1 a,
Ho. 6 " " " N 69 E. 28 " "
Rich Sugar tree lands.

West On the South Boundary of Sec. 35 T. 8. N. R. 4 W.
40.00 Set a 1/4 sec post from which a
Buck. 14 in. diam. trans. S 20 E. 13 miles dist; 1 a,
41.00 To a Brook. 3 miles wide, Corner N. W.
65.00 " " Ho. 3 " " " N.
80.00 Set a post for the cor. of Sec. 34 & 35 from which a
Walnut. 18 in. diam. trans. N 50 E. 18 miles dist; 1 a,
Buck. 17 " " " S 71 W. 28 " "
Healthy Sugar tree lands

West On the South Boundary of Sec. 34. T. 8. N. R. 4 W.
40.00 Set a 1/4 sec post from which a
Buck. 10 in. diam. trans. N 25 E. 5 miles dist; 1 a,
Ho. 6 " " " S 64 W. 08 " "
66.00 To a Brook. 125 miles wide, Corner S.
80.00 Set a post for the cor. of Sec. 33 & 34 from which a
Buck. 12 in. diam. trans. N 80 E. 18 miles dist; 1 a,
Sugar. 16 " " " N 82 W. 33 " "
Lands rich hills; Timber Sugar tree lands

West On the South Boundary of Sec. 33. T. 8. N. R. 4 W.
30.00 To a Brook 4 miles wide, Corner S.

T. No. 8. N.R. No. 477 2nd Mex. Ind.

40.00	Set a 74 th first from which Engw. 16 in dist. trans. N 60 W. 15 miles dist; & a Beck. 8 " " " S 45 E. 34 " "	lands & timber same
50.00	Loak Brook 10 miles wide, Course S. E.	
65.00	" " " 4 " " " N. E.	
80.00	Set a post for the cor. of sec. 32 & 33 from which W. Oak. 36 in dist. trans. N 58 W. 7 miles dist; & a Beck. 12 " " " N 85 E. 30 " "	
West	On the South Boundary of sec. 31 & 32 N. R. 477.	
25.00	Loak Brook. 5 miles wide, Course N. W.	
40.00	Set a 74 th first from which Engw. 16 in dist. trans. S 21 E. 39 miles dist; & a W. Oak. 14 " " " S 83 W. 28 " "	
48.00	Loak Brook 5 miles wide, Course S. W.	
60.00	" " " 5 " " " N. W.	
80.00	Set a post for the cor. of sec. 31 & 32 from which Engw. 24 in dist. trans. East 21 miles dist; & a Beck. 8 " " " S 80 W. 23 " " Rich wood lands; Timber Engw. Beck &c	
West	On the S. Boundary of sec. 31. T. No. 8. N. R. 477.	
40.00	Set a 74 th first from which Hogwood 6 in dist. trans. N 43 W. 7 miles dist; & a Beck. 30 " " " S 58 E. 24 " "	
61.00	Loak Brook. 6 miles wide, Course N. W.	
74.00	Struck the timber post cor. of sec. 1. 6. 31 & 36 T. No. 7 & 8 N. R. " N. 4 & 5 W. from which Engw. 16 in dist. trans. S 21 W. 17 miles dist; & a Beck. 18 " " " North 22 " " April 17 th 1811.	
East Boundary.		

T. N^o 8. N.R. N^o 4 W. 2nd Mer. Ind.?

North On the East Boundary of sec. 13. T. N^o 8 N.R. 4 W
 32.50 To a Brook. 10 miles wide, Corner E.
 37.50 " " Spring 16 mi. dist. stands in the line.
 40.00 Set a 74 supst from which a
 Brook. 14 mi. dist. bears S 85 W. 22 miles dist; run
 Healy 16 " " " N 61 E. 26 " "
 44.00 To a Brook 12 miles wide, Corner N.E.
 80.00 Set a post for the cor. of sec. 12 & 13 from which a
 Logwood 5 mi. dist. bears S 51 W. 4 miles dist; run
 Healy 12 " " " N 53 E. 44 " "

Healy Brook lands

North On the East Boundary of sec. 12. T. N^o 8 N.R. 4 W
 10.50 To a Brook 8 miles wide, Corner N.E.
 40.00 Set a 74 supst from which a
 Brook. 14 mi. dist. bears S 10 E. 31 miles dist; run
 Logwood 5 " " " N 50 W. 28 " "
 56.00 To a Poplar. 48 mi. dist. stands in the line
 80.00 Set a post for the cor. of sec. 1 & 12 from which a
 Logwood 4 mi. dist. bears N 7 E. 8 miles dist; run
 Healy 5 " " " N 6 W. 53 " "
 Healy Brook lands.

North On the East Boundary of sec. 1. T. N^o 8 N.R. 4 W
 2.50 To a Brook 10 miles wide, Corner N.W.
 7.00 " " Spring 5 " " " E.
 40.00 Set a 74 supst from which a
 Brook. 6 mi. dist. bears N 27 W. 6 miles dist; run
 Do. 9 " " " S 84 E. 15 " "
 67.00 To a Brook 80 miles wide, Corner S.W.
 77.50 Set 75 mile west of the Camp? Post & set a post for
 the cor. of Towns. 8 & 9 N.R. N^o 3 & 4 W from which a
 Brook. 12 mi. dist. bears S 21 E. 13 miles dist; run
 Do. 14 " " " N 66 W. 35 " "

457

T. No 8. N.R. No 4 N. 2nd Mer. Sud.

Goode & Buck. land.

North Boundary

B 153

West	On the S. Boundary of sec. 36. T. N. 9. N.R. N. 4 N.
34.00	Long Brook. 50 links wide, Corner N.W.
40.00	Set a 7/4 cu post from which a
	Buckeye 12 in. diam. bears S 87 E. 15 links each; to
	Lo. 10 " " " N 60 W. 30 " "
50.00	Left. Brook. 50 links wide, running N.W.
57.50	Long Brook. 15 links wide, " N.W.
80.00	Set a post for the cor. of sec. 35. & 36 from which a
	Red Oak. 20 in. diam. bears S 22 E. 14 links each; to
	Hecks 9 " " " N 12 W. 15 " "
	Land on both bottom Timber Elm &c

West	On the South Boundary of sec. 35. T. N. 9. N.R. 4 N
20.00	Long Brook. 10 links wide, Corner N.W.
31.50	" " Lo. 12 " " " N.E.
40.00	Set a 7/4 cu. post from which a
	Buck. 20 in. diam. bears S 20 E. 39 links each; to
	Lo. 15 " " " N 61 W. 20 " "
80.00	Set a post for the cor. of sec. 34. & 35 from which a
	Log woods 4 in. diam. bears S 60 W. 24 links each; to
	Hecks 4 " " " N 46 E. 24 " "
	Proo hilly; Oak. & Buck. land.

West	On the S. Boundary of sec. 34. T. N. 9. N.R. N. 4 N
13.50	Long Brook. 8 links wide, Corner N.W.
40.00	Set a 7/4 cu post from which a
	Buck. 13 in. diam. bears S 40 E. 19 links each; to
	Lo. 6 " " " N 37 W. 11 " "
41.50	Long Brook. 8 links wide, Corner N.
80.00	Set a post for the cor. of sec. 33 & 34 from which a

T. No 8. N.R. No 4 W. 2nd de Mm. Ind.

Heiky Heni dist. trees S50 E. 27 mts. dist; 1st
 Lo. 15 " " " N77 W. 24 " "
 Sandy hills; Timber Oak & Beech.

West On the South Boundary of sec. 33 T. No 9. N.R. 4 W.
 40.00 Set a 74 cu post from which
 Maple. 15 in. diam. trees N50 E. 25 mts. dist; 1st
 Elm. 16 " " " N81 W. 9
 80.00 Set a post for the cor. of sec. 32. 33 from which
 Heiky Heni dist. trees S50 E. 27 mts. dist; 1st
 Lo. 15 " " " N56 W. 37 " "
 Rocky land to.

West On the S. Boundary of sec. 32 T. No 9. N.R. 4 W.
 40.00 Set a 74 cu post from which
 Ash. 14 in. diam. trees N47 W. 27 mts. dist; 1st
 4 Beech. 14 " " " S43 E. 30 " "
 80.00 Set a post for the cor. of sec. 31. 32 from which
 Elm 4 in. diam. trees N35 W. 20 mts. dist; 1st
 4 Beech. 12 " " " S20 W. 14 " "
 Muddling good Oak & Beech. land.

West On the South Boundary of sec. 31 T. No 9. N.R. 4 W.
 14.25 To the River 600 mts. wide, Corner N.R.
 40.00 Set a 74 cu post from which
 4 Beech. 12 in. diam. trees N37 W. 30 mts. dist; 1st
 Sugar 23 " " " S50 E. 24 " "
 72.50 Set 300 mts. North of the Temp. post & set a post
 for the cor. of T. No 8 & 9 N.R. 5 N. 45 W. from which
 4 Beech. 12 in. diam. trees N35 E. 37 mts. dist; 1st
 Lo. 6 " " " N50 W. 5 " "
 Good land; Timber Sugar & Beech.

West Boundary

446

North On the East Boundary of sec. 36. T. N. 8. N. R. 5 W.
 5.00 To a Brook. 0 links wide, Corner W.
 40.00 Set a new post from which
 1/2 Buck. 8 in. dia. bears N 65 E. 3 links dist; to
 1/2 Co. 11 1/2 " " " S 67 1/2 W. 8 " "
 41.00 To a Brook 10 links wide, Corner W.
 80.00 Set a post for the cor. of sec. 25 & 36 from which
 Logwood 6 in. dia. bears S 8 E. 17 links dist; to
 1/2 Co. 6 1/2 " " " N 28 E. 13 " "
 Good Oak wood land.

North On the East Boundary of sec. 25 T. N. 8. N. R. 5 W.
 12.00 To a Brook 3 links wide, Corner W.
 26.00 To a Brook 20 in dia. stands in the river.
 27.00 " " Brook. 0 links wide, Corner W.
 40.00 Set a new post from which
 Logwood 6 in dia. bears S 14 W. 14 links dist; to
 1/2 Buck. 12 1/2 " " " N 72 E. 11 " "
 51.00 To a Brook 3 links wide, Corner W.
 80.00 Set a post for the cor. of sec. 24 & 25 from which
 1/2 Buck. 30 in dia. bears S 5 E. 16 links dist; to
 1/2 Gun. 24 " " " N 37 W. 47 1/2 " "
 Good land; timber Sugar. 1 Buck. & Oak

North On the East Boundary of sec. 24 T. N. 8. N. R. 5 W.
 20.00 To a Brook. 5 links wide, Corner W.
 40.00 Set a new post from which
 1/2 Buck. 18 in. dia. bears S 18 E. 21 links dist; to
 Sugar 12 " " " N 42 W. 17 1/2 " "
 52.00 To a Brook. 24 in dia. stands in the river
 53.00 " " Brook 3 links wide, Corner W.
 55.00 " " Co. 10 " " " N.

T. No 8 N.R. No 4 N. 2nd Div. Ind.

80.00 Set a post for the cor. of sec. 13 & 24 from which a
 W. Oak 36 in dia. bears N 16 E. 27 units dist; run
 4 Buck 16 " " " S 4 W. 29 " "
 Land to Timber same as last mile.

North On the East Boundary of sec. 13. T. No 8 N.R. 5 W.

40.00 Set a 74 sec post from which a
 Elm 10 in. dia. bears N 16 E. 9 units dist; run
 Hickory 8 " " " S 16 W. 16 " "

112.50 To a Brook 10 miles wide, Comes W

80.00 To an ash 18 in dia. which stands for the cor. of sec. 12 & 13
 from which a Buck 20 in dia. bears N 86 W. 24 units dist
 Land to Timber, Sugar,

North On the East Boundary of sec. 12 T. No 8. N.R. No 5 W.

40.00 Set a 74 sec post from which a
 Hackberry 14 in. dia. bears S 5 W. 37 units dist; run
 Elm 16 " " " N 10 E. 21 " "

77.75 To the Bank of White River, the cor mill stand near
 the middle of the river. It runs S. W. to 600 bush mds.
 Land to river bottom

North On the East Boundary of sec. 1. T. No 8. N.R. 5. W.

40.00 Set a 74 sec. post from which a
 Elm 10 in dia. bears N 87 W. 10 units dist; run
 W. Oak 15 " " " N 85 E. 5 " "

80.00 Set a timber post for the cor. of Towns 8. & 9. N.R. 4
 25 W. dist Land to 2 mile mds Timber
 Maple per 2nd Div. Good lands Timber 4 Buck Sugar
 ash Elm 4 Buck 50 to

Surveyed by
 Alexander Holmes Esq.

461

V. No 8 N.R. No 14 W. 2nd Mer. Ind. 9

Subdivisions

August 20. 1815

North Return Lat. 35 & 36 T. N. 8. N. R. 14 W.
 30.00 To a Brook. 15 miles wide, Corner N.
 40.00 Set a post for the cor. of Lat. 35 & 36 from which on
 Creek. 10 mi dist. from S. 11 W. 26 mi dist. from
 Do. 10 " " " N. 87 W. 21 " "
 68.50 To a Brook 60 miles wide, Corner N.
 80.00 Set a post for the cor. of Lat. 25, 26, 35 & 36 from which on
 Elm. 14 mi dist. from S. 21 E. 11 mi dist. from
 Sugar. 5 " " " N. 84 W. 33 " "
 Land is fairly & 2nd rate; middling for farming
 Timber Sugar Oak, Birch, Poplar,

East Cut a line between Lat. 26 & 35 T. 8 N. R. 4 W.
 32.00 To a small spring branch; Corner E.
 40.00 Set a trap. 7 1/4 mi post
 70.00 To a small Brook. Corner E.
 80.22 Enter the N. 8 W. line 58 miles North of the post cor.
 of Lat. 25, 26, 35 & 36.
 Land is same as last one.

West Cut a line between Lat. 26 & 35 T. 8 N. R. 4 W.
 40.11 Set the trap. 7 1/4 mi post at anr. dist. in the line
 from which on
 Oak. 18 mi dist. from West. 6 mi dist. from
 Walnut 30 " " " S. 75 W. 68 " "
 80.22 To the post cor. of Lat. 26, 27, 34 & 35

North Return Lat. 26 & 27 T. 8 N. R. 4 W.

August 21st 1815

1.00 To a Brook 5 miles wide,
 8.50 " " " " " Corner S. W.

T. No 8 NW No 4 T. 2nd Mer. Ind.

25.50 To a Brook 10 miles wide, Course N. W.
 40.00 Set a 1/4 sec post from which a
 Sugar 18 in. dia. bears S 73 E. 24 miles west; 1/2 in.
 Ironwood 5 " " " N 28 W. 10 " "
 42.00 To a Brook 15 miles wide, Course N.
 80.00 Set a post for the cor. of Sec. 22 23, 24, 25 from which a
 Sugar 10 in. dia. bears N 60 E. 24 miles west; 1/2 in.
 Birch 13 " " " N 61 W. 21 " "
 Land is hilly and good for farming; Timber Sugar
 Gum. Birch & Poplar

East On Random line between Sec. 23 24 25 & N. 4 W.
 27.50 To a Brook 5 miles wide, Course S.
 39.00 " " Sec 10 " " " S. W.
 40.00 Set a trip 1/4 sec post.
 79.61 Intersect the N. 1/2 line 16 miles North of the post cor. of
 Sec. 23, 24, 25 & 26.

August 22. 1815.

North Between Sec. 33 & 34 T. No 8 NW 4 W.
 20.00 To a small Brook.
 35.00 " " " " "
 40.00 Set a 1/4 sec post from which a
 N Oak 24 in. dia. bears N 21 E. 14 miles west; 1/2 in.
 Birch. — " " " S 86 1/2 E. 12 " "
 80.00 Set a post for the cor. of Sec. 27, 28, 33 & 34 from which a
 Birch 5 in. dia. bears S 5 E. 6 1/2 miles west; 1/2 in.
 N Walnut 7 1/2 " " " N 66 1/2 W. 12 " "
 Land is hilly and good for farming
 Timber Walnut Poplar

East On Random line between Sec. 27 & 34 T. No 8 NW 4 W.
 11.00 To a Brook 10 miles wide, Course N.

T. N^o 8 N.R. N^o 477 2nd Mer. Ind^a

40.00	Set a trap 1/4 sec post
41.00	To admall Brook 5 th mile, Co.
75.00	" " " "
79.72	Intersect the NRS line 26 miles South of the cor. of 26.
27.34.135	Land seems as last mile
West	On the true line between Sub. 27.134 T. N ^o 8 N.R. 477.
39.86	Set the trap 1/4 sec post at the av. dist on the true line from which
	W. Beech 4 in. dia. trees N 66 E. 7 1/2 miles dist; 1 a
	Do. 34 " " N 14 W. — " "
79.72	To the cor. of sub. 27.28.33.134
August 22. 1815.	
North	Between Sub. 27.138 T. N ^o 8 N.R. N ^o 477
10.00	To admall Creek
40.00	Set a 1/4 sec post from which
	Quar. 30 in. dia. trees S 78 E. 10 miles dist; 1 a
	Beech. 6 " " " N 19 1/2 W. 1 1/4 " "
80.00	Set a post for the cor. of sub. 21.22, 27.128 from which
	Sugar. 12 in. dia. trees. N 70 E. 24 miles dist; 1 a
	Beech. 15 " " " S 10 W. 26 " "
	Land ridgy and very good for farming; Timber Sugar. Poplar. Ashes
East	On a Random line between Sub. 22.127 T. N ^o 8 N.R. 477.
40.00	Set a trap 1/4 sec post.
60.00	To ad Brook 10 miles dist.
80.40	Intersect the NRS line 3 miles South of the post cor. of 22, 23, 26, 127
West	On the true line between Sub. 22.127 T. N ^o 8 N.R. 477
40.20	Set the trap 1/4 sec post at the av. dist on the true line

T. N^o 8 N.R. N^o 4 W 2nd Mer. Sud^a

from which a

Buck. 6 in dia^r bears - 73 W. 9 miles dist; 1 a

Lo. 5 " " " N 48 31 " "

80.40 At the cor. of sec. 21, 22, 27 & 28

August 23. 1815.

North Return Sec. 21 & 22 T. N^o 8. N.R. N^o 4 W40.00 Set a temp^y 1/4 sec. post from which aAsh. 4 in dia^r bears S 5 E. 7 Mts dist; 1 a

Poplar 9 " " " N 45 W. 13 " "

80.00 Set a post for the cor. of sec. 15, 16, 21 & 22 from which a

Buck. 6 in dia^r bears N 85 W. 30 miles dist; 1 a

Lo. 5 " " " S 10 E. 19 " "

Good farming lands; Timber Buck, Poplar, Oak
& Ash.East On a line between Sec. 15 & 22 T. N^o 8 N.R. 4 W.40.00 Set a temp^y 1/4 sec. post from which aOak. 24 in dia^r bears S 34 E. 8 miles dist; 1 a

Buck. 15 " " " N 66 W. 8 " "

62.00 To small Brook. corner E.

80.00 Set a post for the cor. of 14, 15, 22 & 23 from which a

Buck. 15 in dia^r bears S 34 E. 9 miles dist; 1 a

Log. 4 " " " N 21 E. 40 " "

Same same as last mile.

South On a random line between Sec. 22 & 23 T. N^o 8 N.R. 4 W40.00 Set a temp^y 1/4 sec. post80.18 Intersect the E of W line 14 miles East of the post cor of
Sec. 22, 23, 26 & 27North On the true line between Sec. 22 & 23 T. N^o 8 N.R. 4 W40.00 Set the temp^y post at the above dist on the true line

T. No 8 NR. No 47W 2nd Mer. Ind.

465

for the cor. of $\frac{1}{4}$ sec. from which a:
 Buck. 15 in diam. trees S55E. 9 miles dist; & a,
 No. 44 " " N22E. 30 " "
 8078 To the cor. of sec. 14, 15, 22, & 23.

August 24 1815.

East On a Random line between Sec. 14 & 23. T. No 8 NR. 47W
 40.00 Set a temporary $\frac{1}{4}$ sec. post
 7835 Intersect the N15W line 54 miles S. of the post cor.
 of sec. 13, 14, 23 & 24

West On the true line between Sec. 14 & 23. T. No 8 NR. 47W
 39.175 Set the temporary post at the corr. dist. on the true line
 for the cor. of $\frac{1}{4}$ sec. from which a
 Poplar 5 in diam. trees N12W. 13 $\frac{1}{2}$ miles dist; & a,
 Sugar. 14 " " " N15W. 18 " "
 Lands tolerable for farming; Timber Poplar, ash,
 Sugar, &c. Ridgy lands.

August 24. 1815.

North From the $\frac{1}{4}$ sec. post between Sec. 23 & 24
 44.00 To a small Brook. Corner S.W.
 80.00 Set a post for the cor. of sec. 13, 14, 23 & 24 from which
 Poplar 6 in diam. trees S77E. 20 miles dist; & a
 Buck. 16 " " " N30W. 24 " "
 Lands rich, and middling for farming
 Timber Buck. Dogwood, & Poplar

August 24. 1815

East On a Random line between Sec. 13 & 24 T. No 8 NR. 47W
 40.00 Set a temporary $\frac{1}{4}$ sec. post
 79.27 Intersect the N15W line 47 miles North of the post
 cor. of sec. 13 & 24 on East Boundary

T. N. 8 N. R. N. 4 W. 2nd Mer. Ind.

West On the true line between Sec. 13 & 24 T. 8 N. R. 4 W.
 39.63½ Set the temporary post at the ann. dish on the true line for
 the cor. of ¼ sec. from which a
 Buck. 14 in. dia. bears West 19 links dish; or a
 No. 10 " " " S 82 E. 22 " "
 79.27 To the post cor. of sec. 13, 14, 23 & 24
 Lande hilly; and middling for farming; Timber
 Oak, Buck, Gum & Poplar.

August, 24. 1815

North Return Sec. 13 & 14 T. N. 8 N. R. 4 W.
 22.00 To a small Brook
 40.00 Set a ¼ sec. post from which a
 Log made 4 in. dia. bears N 14 W. 2 links dish; or a
 Ash 5 " " " S 35 E. 22 " "
 A small Brook at some distance
 80.00 Set a post for the cor. of sec. 11, 12, 13 & 14 from which
 a Buck. 16 in. dia. bears S 30 E. 10 links dish; or a
 No. 12 " " " N 21 E. 78 " "

August, 24. 1815

East On a Meridian line between Sec. 12 & 13 T. 8 N. R. 4 W.
 40.00 Set a temporary ¼ sec. post
 79.07 In Ver. set the East Meridian 48 links South of
 the post cor. of sec. 12 & 13.

West On the true line between Sec. 12 & 13 T. N. 8 N. R. 4 W.
 39.53½ Set the temporary post at the ann. dish on the true line for
 the cor. of ¼ sec. from which a
 Hickory 16 in. dia. bears N 22 W. 10 links dish; or a
 Buck. 6 " " " S 39 W. 11 " "
 79.07 To the cor. of sec. 11, 12, 13 & 14
 Lande hilly, broken & 3rd rate; Timber Hickory

467

T. N. 8 N.R. N. 4 W 2nd Mer. Sud

Oak, Gum, Gussapas & Poplar

August 25. 1815.

North	Peterson Sul. 15 & 16 T. N. 8 N.R. 4 W
40.00	Set a 7/4 sec post from which Sugar. 16 in dia. trees S 10 N. 26 units arb; 1 a, 4 Beech. 18 " " " N 55 E. 19 " "
80.00	Set a post for the cor. of sul. 9. 10. 15 & 16. from which a Logwood 4 in dia. trees. S 11 E. 12 1/2 units arb; 1 a, 4 Beech. 15 " " " S 73 E. 19 " " Sande hilly; Timber Oak, Beech, & Poplar, & Hickory
East	Aug. line in between Sul. 10 & 15 T. N. 8 N.R. 4 W
40.00	Set a 7/4 sec post; from which Hickory 4 in dia. trees S 32 E. 11 1/2 units arb; 1 a, Oak 5 " " " S 44 N. 13 " "
40.00	To a Brook. 10 units wide, Course N.
80.00	Set a post for the cor. of sul. 10. 11. 14 & 15 from which Maple. 16 in dia. trees S 37 N. 20 units arb; 1 a, Logwood 5 " " " S 16 E. 26 " " Hilly Poor land. Timber Oak, Hickory & Sugar maple
South	On a Random line between Sul. 14 & 15 T. N. 8 N.R. 4 W
40.00	Set a temp. 7/4 sec post
45.00	To a small Brook. Course S.
79.67	Enter out the E. 1/4 W line 50 units East of the post cor. of sul. 14. 15. 22, & 23.
North	On the true line between Sul. 14 & 15 T. N. 8 N.R. 4 W
39.83 1/2	Set a temp. 7/4 sec post at the av. dist. on the true line for the cor. of 7/4 sec from which Beech. 10 in dia. trees S 34 E. 10 units arb; 1 a, Oak. 17 " " " S 43 N. 26 " "

T. N. 8 N. R. N. 4 W 2nd Mer. Ind.

79.67 To the first cor of Sec 10. 11. 14 & 15
Lund seems as last note

East On a Random line between Sec 11 & 14 T. 8 N. R. 4 W.
25.00 To a small Brook Course N

35.00 " " Do. 11 links N. W. Course N. W.

40.00 Set a temporary post at the first

79.39 Enter the N. 8 N. 4 W. line 23 links N. of the first cor of
Sec 11. 12. 13 & 14

West On the true line between Sec 11 & 14 T. 8 N. R. 4 W.

39.69 Set the temporary post at the av. dist on the true line
for the cor. of 1/4 Sec. from which

Heik's 5 mi dist. bears N 57 W. 19 links N. W. & a

Hogwood 4 " " " 933 E. 19 " "

79.39 To the first cor. of Sec 10. 11. 14 & 15.

Lund muddling for gaining a ridge; Lund
Oak Heik's 13 links.

August 26. 1815

North On a true line between Sec 9 & 10 T. N. 8 N. R. 4 W.

40.21 Set the temporary post at the av. dist on the true line
for the cor. of 1/4 Sec. from which

Maple 15 mi dist. bears N 71 E. 5 links N. W. & a

Do. 6 " " " N 74 W. 18 " "

80.42 To the cor. of Sec 3. 4. 9 & 10.

Heik's from Lund.

August 26. 1815

North Between Sec 3 & 4 T. N. 8 N. R. 4 W.

5.00 To a small Creek Course N.

4.00 Set a 1/4 Sec post from which

— 14 mi dist. bears N 87 W. 11 links N. W. & a

469

T. N. 8 N. R. N. 4 W. 2nd Mer. Sud.

74.75 Buck. 7 in dia: bears N 23 E. 15 mts ash;
Intersect the N. B. boundary 40 mts East of the
first cor. of sec. 33 & 34 T. N. 9 N. R. N. 4 W. & set
a post for the cor. of sec. 3 & 4 from which
Poplar. 14 in dia: bears N 30 E. 6 mts ash; & a,
Logwood 4 " " " N 10 W. 14 " "
Land muddling for farming; Healthy & Poor.
Timber Oak, Ash, Hickory & Poplar.

East Return Sec. 3 & 10. T. N. 8 N. R. 4 W.
3.00 To a small Creek across N. W.
40.00 Set a 1/4 sec. post from which
Buck. 4 in dia: bears S 15 E. 3 mts ash; & a,
Sugar 13 " " " N 74 W. 19 " "
80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which
Cottonwoods 4 in dia: bears S 33 E. 19 mts ash; & a,
Hickory 14 " " " N 88 W. 16 " "
Land hilly and muddling for farming; Timber
Buck. Oak Poplar. Hickory.

South On a line between Sec. 10 & 11 T. 8 N. R. 4 W.
40.00 Set a temporary 1/4 sec. post
45.00 To a small Creek across N. W.
79.75 Intersect the E. & West line 30 mts East of cor.
to sec. 10, 11, 14, & 15. Land hilly and poor.

North On the true line between Sec. 10 & 11 T. 8 N. R. 4 W.
39.87 Set the temporary post at the above dit on the true line
for the cor. of 1/4 sec. from which
Hickory 18 in dia: bears 23 E. 15 mts ash; & a,
Oak 5 " " " N 88 W. 8 " "
79.75 To the first cor. of sec. 2, 3, 10 & 11

T^h N^o 8 N. R. N^o 4. W. 2nd M^o. Ind^a.

East	On a true line between Sec. 2. & 11 T. 8 N. R. 4 W.
40.00	Set a 7/16 sec post from which 4 Buck. 17 in dist. bears N 45° W. 28 units and 1/2, & a Height 14 " " " 87 E. 23 " "
80.00	Set a post for the cor. of sec. 1. 2. 11. & 12 from which 4 Buck. 5 in dist. bears East 4 units and 1/2, & a Lo. 5 " " " N 97° W. 10 " "
	Highly & poor lands for this country; Timber Oak 4 Buck, Sugar, Maple &c
South	On a Random line between Sec. 11. & 12 T. 8 N. R. 4 W.
40.00	Set a temp ^l 7/16 sec post
75.00	Small Brook Corner W.
80.90	Intersect the E. & W. line 15 units East of the first cor. of sec. 11. 12. 13 & 14 Lands highly & stony; Timber Oak & Buck.
North	On the true line between Sec. 11. & 12 T. 8 N. R. 4 W.
40.45	Set the temp ^l post at the ar. dist on the true line for the cor. of 7/16 sec from which Poplar. 8 in dist. bears N 84° W. 9 units and 1/2, & a Lo. 10 " " " 84 E. 8 " "
80.90	Set the post cor of sec. 1. 2. 11. & 12
East	On a Random line between Sec. 1. & 12 T. 8 N. R. 4 W.
25.00	Small Brook. Corner N. W.
40.00	Set a temp ^l 7/16 sec post
75.00	Small Brook. Corner N. W.
79.35	Intersect the East & West 112 units North of the first cor of sec. 1 & 12 Lands highly & poor; Timber Oak & Buck.
West	On the true line between Sec. 1. & 12 T. 8 N. R. 4 W.

471

V. N^o 8 N.R. N^o 4 N. 2nd. Mer. Ind.

39.65 $\frac{1}{2}$ Set the temporary first at the aver. dist on the line
for the cor. of $\frac{1}{4}$ sec from which
Beet. 6 in dist. bears S $3\frac{1}{2}$ N. 20 units dist; 1 a
Lo 8 a " " N 18 E. 26 a "
79.35 Set the first cor. of sec. 1. 2. 11. & 12
Sands Hilby & Perr.

North Return Sec. 1 & 2 T. 8 N. R. 4 N.
40.00 Set a $\frac{1}{4}$ sec post from which
Beet. 6 in dist. bears S $35\frac{1}{2}$ N. 7 units dist; 1 a
Lo. 5 a " " S $74\frac{1}{2}$ E. 7 a "
74.19 Intersect the N.B. boundary 87 units East of the first cor.
of sec. 35 & 36 T. N^o 9. N.R. N^o 4 N. & set a post for
the cor. of sec. 1 & 2 from which
Sugar. 16 in dist. bears N $72\frac{1}{2}$ E. 13 units dist; 1 a
Lo. 10 a " " N $67\frac{1}{2}$ N. 30 a "
Sands Hilby & middling grade for farming; Timber
Beet. Sugar, & Poplar.

August 28. 1815

North Return Sec. 2 & 3 T. N^o 8 N.R. N^o 4 N.
40.00 Set a $\frac{1}{4}$ sec post from which
Ash, 8 in dist. bears N $60\frac{1}{2}$ N. 80 units dist; 1 a
Hickory 5 a " " S $16\frac{1}{2}$ N. 4 a "
74.95 Intersect the E & N line or N.B. boundary 98 units East
of the first cor. of sec. 34 & 35 T. N^o 9. N.R. N^o 4 N. & set
a post for the cor. of sec. 2 & 3 from which
Beet. 15 in dist. bears N $23\frac{1}{2}$ N. 15 units dist; 1 a
Hickory 5 a " " N $61\frac{1}{2}$ N. 15 a "
Sands same as last mile.

August 21. 1815

North Return Sec. 34 & 35 T. N^o 8 N.R. 4 N.

T^N 8 N^R 4 W. 2nd Mer. Sec²

40.00	Set a post for the cor. of 1/4 sec. E. Corner 80 links wide, Course N.W. from which N. Buck. 12 in dist. bears S 72 W 23 links dist; 1 st Buckeye 8 " " " N 60 W 25 " "
50.00	Set a post 50 links wide, Course N.W.
70.00	" " 15 " " " N.E.
76.00	Set a post 4 " " " W.
80.00	Set a post for the cor. of Sec. 26, 27, 34 & 35 from which a Buck. 12 in dist. bears N.E. 32 links dist; 1 st Sugar 8 " " " N 40 E 13 " " Lands hills, 2 nd rate soil. Timber Oak, Buck, Sugar, Poplar, &c

East	On a Random line between Sec. 25 & 36 T ^N 8 N ^R 4 W
40.00	Set a trap 1/4 sec post
79.33	Enter at the East Corner 76 links North of the post cor. of Sec. 25 & 36. Lands hills, soil rich, Timber same

West	On the true line between Sec. 25 & 36. T ^N 8 N ^R 4 W
39.00	Set a trap 1/4 post at the cor. dist in the true line for the cor. of 1/4 sec. from which is Buck. 12 in. dist. bears N 57 E. 19 links dist; 1 st Lo. 16 " " " " S 76 W 22 " "
79.33	To the post cor. of Sec. 25, 26, 35 & 36

North	Between Sec. 25 & 26 T ^N 8 N ^R 4 W.
34.00	Set a post 15 links wide, Course S.W.
40.00	Set a 1/4 sec post from which is Logwood 12 in dist. bears S 80 E. 15 links dist; 1 st Buck. 12 " " " " S 67 W 22 " "
80.00	Set a post for the cor. of Sec. 23, 24, 25 & 26 from which a Buck. 14 in dist. bears S 3 E. 21 links dist; 1 st

	<p>12 mi. dist. bears N 61 W. 26. Units dist; Sands similar with 2nd rate; soil.</p>
<p>East 40.00 78.84</p>	<p>On a random line between Sec. 24 & 25 T. N. 8 N.R. 4 W. Set a temporary 1/4 sec. post Enter cut the East Boundary 50 units North of post cor. of 24 & 25. Sands same as last mile.</p>
<p>West 39.42 78.84</p>	<p>On a true line between Sec. 24 & 25 T. N. 8 N.R. 4 W. Set the temporary post at the av. dist. within the line for the cor. of 1/4 sec. from which 12 mi. dist. bears N 53 E. 20 units dist; 1/4 sec. 15 " " " S 32 W. 26 " " To the post cor. of Sec. 23, 24, 25 & 26.</p>
<p>North 40.00</p>	<p>Between Sec. 23 & 24 T. N. 8 N.R. 4 W. Set a 1/4 sec. post from which Log road 5 mi. dist. bears N 74 E. 19 units dist; 1/4 sec. Hickory 5 " " " South 3 " "</p>
<p>North 25.00 29.00 40.00 57.00 70.00 80.00</p>	<p>Between Sec. 32 & 33 T. N. 8 N.R. N. 4 W. Trout Brook 12 units wide, Course E. Trapping branch. Course S.W. Set a post for the cor. of 1/4 sec. from which Sugar 10 mi. dist. bears S 7 W. 42 units dist; 1/4 sec. Buck. 27 " " " N 34 E. 28 " " Trout Brook. Course S.W. " " " " 10 units wide, Course S.W. Set a post for the cor. of Sec. 28, 29, 32 & 33 from which Oak 30 mi. dist. bears N 67 W. 8 units dist; 1/4 sec. Buck. 10 " " " South 3 " " Sands Chilly; rich soil; similar Oak, Buck. Sugar.</p>

T. N. 8. MR. N. 47. 2nd Mer. Ind. 9

East On a Ransom line between Sec. 28. 133. T. 8 N. R. 47 W.
 40.00 Set a trap 1 1/4 sec. post
 80.09 Enter cut the N. 8 line 11 miles North of the first cor.
 of sec. 27. 28. 33 & 34
 Land well & made good for farming; Land 2nd
 rate; Timber fine all over.

West On the true line between Sec. 28. 133 T. N. 8. MR. 47 W.
 40.04 Set the trap 1/4 post at the cor. set on the true line for
 the cor. of 1/4 sec. from which
 Sugar 9 in air. trees S 83 W. 17 miles west; & a
 No. 14 " " N 14 E 37 " "
 80.09 To the first cor. of Sec. 28, 29, 32, & 33


West Return Sec. 29. 132 T. 8 N. R. 47 W.
 27.00 To a Brook 8 miles wide, course S.
 40.00 Set a 1/4 sec. post from which
 Sugar 5 in air. trees N 68 W. 9 miles west; & a
 Beet. 12 " " " S 62 E. 14 " "
 80.00 Set a post for the cor. of sec. 29, 30, 31. 132 from where
 Beet. 9 in air. trees N 71 E. 26 miles west; & a
 No. 9 " " " S 49 W. 19 " "
 Land part well & part broken; good for
 farming; Timber same.

South On a Ransom line between Sec. 31. 132 T. 8 N. R. 47 W. & 76
 40.00 Set a trap 1 1/4 sec. post
 68.00 To a Brook 10 miles wide, course N.
 79.74 Enter cut the South Boundary 10 miles East of sec.
 cor. for 31. 132
 Land well & not so good Timber same; good for
 farming


INDEX MAPS.

1.4

T.8N R.4W 2nd Mer.



T.9N R.4W 2nd Mer.



The figures on the lines refer to the page.

1

T. N^o 8 N.R. N^o 4 W. 2nd Mm. Ind.?

North
39.87 On the line betw. Sec. 31 & 32 T. N^o 8 N.R. 4 W.
Set the trap 19 feet at the corner with on the line
for the cor. of 1/4 sec. from which
Y. Birch. 12 in diam. trees S 10 W. 13 knots each; & a
W. Oak 36 " " " S 66 E. 35 " "
79.44 To the first cor. of Sec. 29, 30, 31 & 32.

West
40.00 Return Sec. 30 & 31 T. N^o 8. N.R. 4 W. 71° 5' 30"
Set a 1/4 sec. post from which
Y. Birch. 9 in diam. trees N 51 E. 14 knots each; & a
Lo. 13 " " " S 25 W. 36 " "
74.21 Enter at the West R. Binaries 23 knots South of the
post cor. of Sec. 25 & 26, T. N^o 8 N.R. N^o 5 W. & set a
post for the cor. of Sec. 30 & 31 from which
Logwood 5 in diam. trees N 43 E. 4 knots each; & a
Poplar. 48 " " " S 25 W. 15 " "
Sands similar to rather Broken.

North
40.00 Return Sec. 29 & 30 T. N^o 8. N.R. N^o 4 W.
Set a 1/4 sec. post from which
Y. Oak. 9 in diam. trees N 10 E. 22 knots each; & a
Y. Gum 15 " " " S 74 E. 24 " "
80.00 Set a post for the cor. of Sec. 19, 20, 29 & 30 from which.
Y. Gum. 18 in diam. trees East 8 knots each; & a
W. Oak. 14 " " " S 54 W. 28 " "
Sands broken; similar some.

East
9.50 Return Sec. 20 & 29 T. N^o 8 N.R. 4 W.
15.00 To a spring from the corner of
To a small Brook corner of
40.00 Set a 1/4 sec. post from which
Hickory 14 in diam. trees S 34 E. 21 knots each; & a
Y. Birch. 12 " " " " S 63 W. 26 " "

T. N. 8 N. R. 4 W. 2nd Mer. Sec. 2

8000	Set apart for the cor. of sec. 20. 21. 28. 129 from which a 4 inch 12 in diam. brass N 88 E. 20 links each; tag Lo. 14 in " " S 67 N. 12 " " Lands poor rolling; 1st part broken. Timber Oak Beech, Sugar, Poplar, M & Spruce; muddling good for farming
East	On a Random line between Sec. 21. 128 T. N. 8 N. R. 4 W.
4000	Set a temporary 1/4 sec post
80.86	Introduced the N & S line 9 miles North of sec. cor. for 21. 22. 27. 28. Lands rich and good for farming; good 2nd rate; Timber Beech, Sugar, & Poplar.
West	On the true line between Sec. 21. 128 T. N. 8. N. R. 4 W.
40. 43	Set the temporary post at the aver. dist. on the true line for the cor. of 1/4 sec. from which Sugar 9 in diam. brass N 45 E 41 links each; tag Poplar 8 in " " S 38 W. 9 " "
80.86	Set the first cor of sec. 20. 21. 28. 129.
South	On a Random line between Sec. 28. 129 T. 8. N. R. 4 W.
30.50	Trapping brush, Acorn S. W.
4000	Set a temporary 1/4 sec post
79.90	Introduced the E & W line 32 miles West of the first cor. of sec. 28. 29. 32. 33 Lands rich in low hills Timber Oak, Poplar, Sugar Beech, etc. good lands for farming.
North	Between Sec. 28. 129 T. N. 8. N. R. 4 W. True line
39.95	Set the temporary post at the aver. dist. on the true line for cor. of 1/4 sec from which Beech 12 in diam. brass N 62 W. 12 links each; tag

T. N^o 8. N.R. N^o 4 W. 2nd Mer. Ind.^a

7990 Back. 10 in dist. bears N 74 E. 16 miles dist;
To the first cor of sec. 20. 21. 28 & 29

North
40.00 Between Sec. 20 & 21 T. N^o 8 N.R. 4 W.
Set a 74 support from which a
Back. 14 in dist. bears N 24 E. 30 miles dist; ra,
Sugar 9 " " " N 48 E. 30 " "
75.00 To small Brook comes S.W.
80.00 Set a post for the cor. of sec. 16, 17, 20 & 21. from which a
Back. 10 in. dist. bears S 59 E. 7 miles dist; ra,
Lo. 12 " " " N 20 W. 26 " "
Sands broken Soil & timber same

West
16.00 Between Sec. 17 & 20 T. N^o 8 N.R. 4 W.
To a Brook 3 miles wide, comes S.
20.00 " " " 4 " " " "
35.00 " " " 4 " " " "
37.00 " " " 3 " " " "
40.00 Set a 74 cor post from which a
Back. 10 in dist. bears N 21 E. 24 miles dist; ra,
Log marks 8 " " " S 15 E. 15 " "
80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which
a Sugar. 16 in. dist. bears S 17 W. 17 miles dist; ra,
Back. 9 " " " N 52 W. 27 " "
Sands broken Soil & timber same.

South
18.50 On a Run across line between Sec. 19 & 20 T. 8 N.R. 4 W.
To a Brook 15 miles wide, comes S.W.
40.00 Set a temporary support
65.00 To a Brook 15 miles wide, comes S.W.
79.97 Enter sec the E & W line 18 miles East of the first cor.
of sec. 29, 20, 29 & 30
Sands hilly; timber some rich soil

T. No 8 N. 10. N. 4 W. 2nd Mer. Ind.

West Return Sub 19. + 30 T. N. 8 N. 4 W
 40.00 Set a 74 sec spot from which
 Logmoor (in dist. trees N 30 E. 27 units dist; tan
 Oak. 14 " " " S 14 E. 36 " "
 57.05 To a Brook. 8 units side C. N. W.
 73.04 Intersect the N + S line 41 units S of the spot cor. of sub.
 24. + 25 T. N. 8. N. R. 5 W + set a post for the cor. of
 sub. 19 + 30 from which
 Bush. 18 in. dist. trees N 9 E. 22 units dist; tan
 Do. 14 " " " S 79 W. 26 " "

North On a true line between Sub. 19. + 20. T. N. 8 N. 4 W
 39.98 Set the trip. 7 post at the cor. dist in the true line
 for 74 sec cor. from which
 Bush. 12 in. dist. trees S 70 E. 11 units dist; tan
 Do 12 " " " S 71 W. 22 " "
 79.97 To the post cor. of sub 17. 18. 19 + 20

West Return Sub. 18. + 19 T. N. 8 N. 4 W
 40.00 Set a 74 sec post from which
 Logon. 12 in. dist. trees S 38 W. 4 units dist; tan
 Bush. 9 " " " N 22 E. 23 " "
 73.80 Intersect the West Bormat. 57. units S of the post
 cor. of sub. 13 + 24 T. N. 8 N. 5 W. + set a post
 for the cor. of sub. 18. + 19 from which
 Bush. 12 in. dist. trees N 1 W. 20 units dist; tan
 Logon. 10 " " " S 7 W. 21 " "
 Cande Kelly; Timber same with sub.

North Return Sub. 17. + 18 T. N. 8 N. 4 W
 40.00 Set a 74 sec post from which
 Heik's 9 in. dist. trees N 5 E. 18 units dist; tan
 Elm. 9 " " " S 72 E. 19 " "

J. N^o 8 NR. N^o 4 W 2nd Div. Ind.

Thurs

41.50 Lost Brook. Comes from
80.00 Set a post for the cor. of sec 7.8.17+18 from which
W. Oak. 10 in dia: trees N14E. 15 miles dist; ra
Newky 9 " " S84W. 14 " "
Lands come at last mile.

West Return Sec. 7.218 J. N^o 8 NR. 4 W
40.00 Set a 1/4 sec post from which
W. Oak. 12 in dia: trees S35E. 19 miles dist; ra
Newky 12 " " N33W. 32 "
73.23 Intersect the West Branch 91 miles South of the post cor.
12+13. J. N^o 8 NR. 5 W + set a post for the cor. of
sec. 7.18 from which a
Beck. 18 in dia: trees S17W. 26 miles dist; ra
Logan 5 " " S67W. 23 " "

North Return Sec. 7.18 J. N^o 8 NR. N^o 4 W
40.00 Set a 1/4 sec post from which
Sugar 8 in dia: trees S39E. 13 miles dist; ra
Wash 6 " " N17W. 10 " "
70.00 Lost Brook 50 miles dist. Gets dry Comes from
80.00 To an Elm 10 in dia: which stands for the cor. of
Sec. 5.6. 7.18
Lands come; last 15 chains bottom which overflows

West Return Sec. 6.27 J. N^o 8 NR. 4 W
29.00 To the Left Bank of White River. Set a post for the
cor. of frac. sec. 6.27 from which a
Cottonwood 6 in dia: trees N12E. 180. the dist;
Lands overflowed bottom

East Return Sec. 8.17 J. N^o 8 NR. N^o 4 W
40.00 Set a 1/4 sec post from which

T. N. 8 N.R. N. 47. 2nd Mer. Sec. 9

80.00	<p> <i>Heiky 13 in dist. bears S 83 E. 8 miles dist; 1a</i> <i>Poplar 9 " " N 45 W. 33 " "</i> <i>Set apart for the cor. of Sec. 8. 9. 16 & 17 from which</i> <i>Sec. 10 in dist. bears S 74 E. 10 miles dist; 1a</i> <i>Heiky 15 " " N 78 W. 11 " "</i> <i>Land shilly; timber same</i> </p>
<p> <i>South</i> <i>39.50</i> <i>40.00</i> <i>80.07</i> </p>	<p> <i>On a Random line between Sec. 16 & 17. T. 8 N.R. 47</i> <i>Top small Brook. Cones E.</i> <i>Depa temp. 1/4 sec post</i> <i>Intersect the E. & W line 11 miles East of sec. cor. for 16.</i> <i>17. 20 & 21</i> <i>Land lies in timber hills; middling for farming timber</i> <i>Beck. Sugar Beck & Poplar</i> </p>
<p> <i>East</i> <i>40.00</i> <i>81.53</i> </p>	<p> <i>On a Random line between Sec. 16 & 21 T. 8. N.R. 47</i> <i>Set a temp. 1/4 sec post</i> <i>Intersect the N & S line 9 miles S. of the first cor of sec.</i> <i>15, 16, 21 & 22</i> <i>Land similar and good for farming</i> </p>
<p> <i>West</i> <i>40.76</i> <i>81.53.</i> </p>	<p> <i>On the true line between Sec. 16 & 21 T. N. 8 N.R. 47</i> <i>Set the temp. post at the av. dist on the true line for</i> <i>cor of 1/4 sec. from which</i> <i>Beck. 12 in dist. bears N 87 E. 26 miles dist; 1a</i> <i>No. 24 " " N 36 W. 24 " "</i> <i>Set the post cor of sec. 16, 17, 20 & 21</i> </p>
<p> <i>North</i> <i>40.03</i> </p>	<p> <i>On the true line between Sec. 16 & 17 T. N. 8 N.R. 47</i> <i>Set the temp. post at the av. dist on the true line for</i> <i>the cor of 1/4 sec from which</i> <i>Beck. 12 in dist. bears N 58 E. 11 miles dist; 1a</i> <i>McCl. 12 " " S 15 W. 31 " "</i> </p>

40.07	Set the post cor. of sec. 8. 9. 16 & 17
North 40.00	Return Sec. 8. & 9 T. N. 8 N. R. 4 W. Set a 1/4 sec post from which a W. Oak. 15 in diam. trees N 43 W. 13 miles due; & a Hickory 8 " " " N 30 E. 14 " " "
80.00	Set a post for the cor. of sec. 4. 5. 8 & 9 from which a Poplar. 48 in diam. trees. South 3 miles due; & a Buck. 12 " " " N 37 W. 10 " " " Lumber kiln; Lumber Buck, Sugar, Oak, & Poplar
North 26.50 40.00	Return Sec. 4. & 5 T. N. 8 N. R. N. 4 W. To a Brook. 50 miles wide, comes W. Set a 1/4 sec post from which a Buck. 12 in diam. trees. N 49 E. 11 miles due; & a W. Oak. 9 " " " N 31 W. 33 " " "
75.63	Intersect the E. & W. line. or North Boundary 47 miles E. of the post cor. of sec. 32 & 33. T. N. 9 N. R. N. 4 W. & set a post for the cor. of sec. 4 & 5 from which a Hickory 10 in diam. trees S 21 W. 7 miles due; & a Ho. 10 " " " N 73 W. 10 " " " Hickory 2 miles Buck. bottom; the last 2 miles & good for fanning
East 32.00 40.00	Return Sec. 4 & 9 T. N. 8 N. R. N. 4 W. To a Brook 6 miles wide, comes N. E. Set a 1/4 sec post from which a Sugar. 12 in diam. trees N 43 W. 25 miles due; & a Buck. 14 " " " N 63 W. 25 " " "
43.50 80.00	To a Brook. 20 miles wide, comes N. E. Set a post for the cor. of sec. 3. 4. 9. & 10 from which a Buck. 9 in diam. trees S 12 W. 14 miles due; & a Ho. 15 " " " North 17 " " "

T. N. 8. N. R. N. 4 W. 2nd Mer Ind 2

Land low hills rich soil & good for farming
Timber Beech, Sugar, Poplar, Oak

South
0.00 On a Random line between Sec. 9. & 10 T. 8. N. R. 4 W
40.00 To a small Brook 18 miles wide. Corner E.
80.43 Set a trap 1/4 sec past
Intersect the E & W line 86 miles West of the post
cor off sec. 9. 10. 15 & 16
Land hills; Timber Sugar, Poplar Hickory & Beech

West
40.00 Between Sec. 9. & 10. T. N. 8. N. R. N. 4 W Line line
80.72 Set a trap 1/4 sec past
Intersected the N & S line 9 miles North of the post cor off
Sec. 8. 9. 10. & 17
Land hills; Timber Beech, Sugar, Oak, Poplar, &
W. Spruce.

West
40.00 On a Random line between Sec. 5 & 8 T. 8. N. R. 4 W
79.97 Set a trap 1/4 sec past
Intersect the N & S line 103 miles North of sec cor for
5, 6, 7 & 8. Land low

North
40.00 Between Sec. 5 & 6. T. N. 8. N. R. N. 4 W
Set a 1/4 sec post from which
Sugar 14 mi dist bears N 49 E. 31 miles dist; ran
Do 27 1/2 " " S 17 W. 17 " "
76.79 Intersect the N & S boundary 143 miles East of the post
cor off sec 31 & 32 T. N. 9. N. R. 4 W & set a post for
the cor. off sec 5 & 6 from which
Beech 11 mi dist bears S 64 W. 14 miles dist; ran
Buckeye 9 " " N 58 E. 28 " "
This mile bottom of post overflows Rich soil

9

I. N^o 8 N.R. N^o 4 W. 2nd Mer. Ind.

West On the true line between Sec. 5 & 8 I. 8 N.R. 4 W.
 40.01 Set the temp. 9 feet at the corner dish on the true line from
 the cor. of 1/4 sec from which
 Buck 5 in dia: bears N 49 W. 11 units north; 10
 Poplar 15 " " " N 67 E. 20 " "
 80.03 To the first cor. of Sec. 5, 6, 7, & 8.

West Between Sec. 6 & 7 I. 8 N.R. 4 W. Continued
 33.35 To the West Bank of White River cor of Sec. 6 & 7 from
 which Walnut 1 in dia: bears S 23 E. 22 units north;
 and a Loc. 9 " " " N 16 E. 24
 40.00 Set a 1/4 sec from which
 Walnut 9 in dia: bears S 34 W. 9 units north; 10
 Loc. 12 " " " N 10 E. 25 " "
 54.10 To a Maple 24 in dia: Stands in the line.
 73.18 To the line corner in the river 336 units from the above
 Bottom lands which confirms

East On the true line between Sec. 9 & 16 I. N^o 8. N.R. N^o 4 W.
 40.36 Set the temp. 9 feet at the corner dish on the true line
 from which
 Buck 4 in dia: bears S 66 E. 4 units north; 10
 Log woods 4 " " " N 31 W. 13 " "
 80.72 To the first cor of Sec. 9, 10, 15 & 16.

West On the true line between Sec. 23 & 26 I. 8 N.R. 4 W.
 39.80 To the first cor of 1/4 sec at above dish on the true line from
 which Maple 15 in dia: bears S 44 W. 8 units north;
 Sugar. 10 " " " N 17 W. 20 " "
 79.60 To the first cor. of Sec. 22, 23, 26 & 27

J. No 8 M.R. No 477 2nd M. Sada

Meadows of White River Left Bank
Commenced in the North Boundary then down
Stream in Lu. Co.

\$5 E.	9.00
South	21.81
\$40 E.	9.00
\$59 E.	5.80
\$26 E.	3.50
\$18 E.	5.34
\$1 E.	4.83
\$19 M.	4.93
\$45 M.	1.50

Meadows of the Right Bank. Began in the
North Boundary of Lu. Co. then down Stream

\$5 E.	10.50
South	20.50
\$39 E.	10.00
\$41 E.	5.00
\$57 E.	6.08
\$38 E.	3.20
\$5 M.	1.78
\$30 M.	4.48
\$72 M.	8.17
\$85 M.	5.29
\$62 M.	8.40
\$20 M.	9.06
\$7 M.	2.42
\$12 M.	3.50

To copy of row 6 + 7

11

T. N. 8 N.R. N. 47. 2nd Mer. Sec.

Commenced at the cor. of sec. 6 & 7. T. 8 N.R. 47
from thence

S 60 E.	11.28		
S 70 E.	12.00		
N 15 E.	5.83	at ^{Q.L.} 240	100 links to River
N 22 W.	4.06		
East	0.60	To Sec. cor.	

Surveyed by
William Harris. D.S.

It is impossible to arrange these measures
so as to make them intelligible. I have therefore
left them in as they are in the Harris's Book
Transcripts

I certify that the foregoing Transcript
of the Field notes of Township N. 8 North, of
Range N. 4 West of the 2nd Principal Merid-
ian, in Indiana, has been compared with the
Original notes in this Office, and found to be
correct.

Surveyor General's Office,
Cincinnati, Dec. 31st 1840

W. H. Haines
Sur. Genl.